


ILLUSTRATED PARTS

AMERICAN  AMERICAN
M A D E O W N E D
OUTDOOR POWER EQUIPMENT




1994

ELECTRIC PUSH MOWERS

Model Number	Pages
184-107-000	2, 3
184-387-000	4, 5
184-427-000	6, 7

Model 107


Optional Grass Catcher Complete
190-106-000



Model 107


PARTS LIST FOR MODEL 107 ELECTRIC MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	749-0884		Upper Handle	49	818-60013		Motor, Cord & Switch Ass'y.
2	747-0790		Cord Control Rod	50	624-0032		Cord & Switch Ass'y. Comp.
3	725-1590		Strain Relief—Cord				(See Breakdown)
4	731-1270		Fan	53	742-0720		20" Mulching Blade
5	748-0356		Blade Adapter	54	731-1210		Handle—Switch Actuator
6	738-0102		Axle Bolt	55	732-0679		Spring—Switch Handle
7	17098		Hinge Clip	56	725-1565		Switch
8	731-1447		Rear Flap	57	710-1147		Screw #6-32 x .5" Lg.
9	749-0928		Lower Handle	58	729-0304		Plug Ass'y.
15	738-0507B		Shld. Bolt .5" Dia. x .434"	59	732-0680		Retainer Plug Spring
20	682-3012A		Handle Brkt. Ass'y.—R.H.	60	731-1211		Retainer Plug
21	682-3011A		Handle Brkt. Ass'y.—L.H.	61	731-1198		Latch
22	710-1017		Torx. Mach. AB-Tap Scr. 1/4 x .62" Lg.	62	624-0053		Cord Ass'y. (Incl. Ref. #58)
				63	732-0681		Spring Latch
24	736-0105		Bell-Wash. .38" I.D. x .88" O.D.	64	731-1208		Housing—Upper Half
25	736-0356		Bell-Wash. .39" I.D. x 1.38" O.D.	65	731-1209		Housing—Lower Half (Not Shown)
26	712-0798		Hex Nut 3/8-16 Thd.*				
27	14832		Spring Lever Ass'y. w/Knob	66	720-0226		Foam Grip (Optional)
28	15262B		Pivot Bar	68	721-0309		Insulator Strip
29	15261A		Height Adj. Plate	69	731-1219		Insulator Shield
31	682-0016		20" Deck Ass'y.	70	710-0597		Hex Bolt 1/4-20 x 1" Lg.*
32	14578		Height Adj. Ass'y. Comp.—R.F. & L.R.	71	736-3090		Fl-Wash. .26" I.D. x .72" O.D.
	14579		Height Adj. Ass'y. Comp.—L.F. & R.R. (Not Shown)	72	721-0311		Insulator
33	731-1269		Motor Cover (Yellow)	73	726-0209		Cable Tie
	731-1264		Motor Cover (Red)	77	710-1251		Hex Bolt 3/8-24 x 2.5" Lg.
34	710-1128		Scr. #10-16 x .75" Lg.	78	720-0279		Wing Nut
35	710-1150		Self-Tap Scr. #7 x 1" Lg.	79	720-0241		Wing Nut Ass'y.
36	712-0241		Hex Nut 3/8-24 Thd.	80	714-0104		Hairpin Clip
37	710-1006		Hex L-Wash. TT-Tap Scr. 3/8-16 x .75" Lg.	82	731-1407		Chute Deflector
38	710-0191		Hex Bolt 3/8-24 x 1.25" Lg.	83	682-7000		Mulching Plug Ass'y.
39	736-0452		Bell-Wash. .396" I.D. x 1.14" O.D.	84	710-0599		Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
42	734-1781		Wheel Ass'y. Comp. (Gray Rim)	85	736-0270		Bell-Wash. 1/4" I.D.
	7377790		Wheel Ass'y. Comp. (Yellow Rim)	86	710-1174		Carr. Bolt 5/16-18 x 2" Lg.
46	712-0324		Hex Top L-Nut 1/4-20 Thd.	87	782-7007		Handle Bracket
47	726-0240		Cable Tie	88	725-1602		Rectifier†
48	736-0169		L-Wash. 3/8" I.D.*	89	624-0031		Brush and Liner Ass'y.†
				90	724-0200		Brush Holder Cap†
				91	724-0201		End Shield Brushes†
				92	729-0328		Red Brush Lead†
				93	729-0329		Blue Brush Lead†
				94	741-0875		Needle Bearing†
				95	624-0028		Housing Magnet Ass'y.†
				96	624-0029		Armature Ass'y.†
				97	724-0194		Motor End Plate†
				98	741-0124		Ball Bearing†
				99	748-0348		Bearing Adapter†
				100	710-1176		Carriage Bolt†
				101	712-0324		Hex L-Nut 1/4-20 Thd.†
				102	721-0306		Motor Hsg. Insulator†
				103	724-0202		Cover—Rectifier†
				104	731-1207		Strain Relief Bushing†
				105	736-3090		Fl-Wash. .26" I.D. x .72" O.D.†
				106	731-1426		Hub Cap (Optional)
				107	741-0484		Ball Bearing (Used w/734-1790 Wheel)
				108	736-0504		Wave Wash. (Used w/Ref. 107)



†Part of Motor, Switch & Cord Ass'y. Comp. (Ref. 49)

Model 387



ATTACHMENTS AVAILABLE

Mulching Kit — Model 190-099-000
 Chute Deflector — Model 190-104-000

Model 387

PARTS LIST FOR MODEL 387 ROTARY MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	749-0883		Upper Handle	38	710-0191		Hex Bolt 3/8-24 x 1.25" Lg.
2	747-0790		Cord Control Rod	39	736-0452		Bell-Wash. .396" I.D. x 1.14"
3	725-1590		Strain Relief—Cord	40	764-0446		Grass Bag
4	731-1270		Fan	41	720-0241		Plastic Knob
5	748-0356		Blade Adapter	42	734-1781		Wheel Ass'y. Comp. (8" x 1.75")
6	738-0102		Axle Bolt		734-1699		Wheel Ass'y. Comp. (7" x 1.5")
7	732-0712		Rear Flap Wire	43	731-1268		Upper Handle Insulator
8	731-1261		Rear Flap	44	731-1267		Lower Handle Insulator
9	749-0885		Lower Handle	45	710-0450		Carriage Bolt 5/16-18 x 3" Lg.
10	782-7025		Chute Door	46	712-0397		Wing Nut 1/4-20 Thd.
11	732-0677		Door Spring—L.H.	47	726-0303		Cable Tie
12	732-0678		Door Spring—R.H.	48	736-0331		Bell-Wash. 3/8" I.D.
13	714-0104		Hairpin Clip	49	818-60013		Motor, Cord & Switch Ass'y.
14	764-0326		Front Catcher Frame	50	624-0032		Cord & Switch Ass'y. Comp.
15	738-0507B		Shld. Bolt .5" Dia. x .434"	51	782-5004		Mulching Baffle—R.R. (Optional)
16	14765		Pivot Bar—R.H.	52	782-5007		Mulching Baffle Plug (Optional)
	14766		Pivot Bar—L.H. (Not Shown)	53	742-0619		19" Blade
17	720-0190		Spring Lever Knob		742-0719		19" Mulching Blade (Optional)
18	732-0417A		Spring Lever	54	731-1210		Handle—Switch Actuator
19	710-0892		Hex L-Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.	55	732-0679		Spring—Switch Handle
20	682-0514		Handle Brkt. Ass'y.—R.H.	56	725-1565		Switch
21	682-0513		Handle Brkt. Ass'y.—L.H.	57	710-1147		Screw #6-32 x .5" Lg.
22	710-1017		Torx. Mach. AB-Tap Scr. 1/4 x .62" Lg.	58	729-0304		Plug Ass'y.
23	782-5026		Rear Baffle	59	732-0680		Retainer Plug Spring
24	736-0105		Bell-Wash. .38" I.D. x .88" O.D.	60	731-1211		Retainer Plug
25	736-0356		Bell-Wash. .39" I.D. x 1.38" O.D.	61	731-1198		Latch
26	712-0798		Hex Nut 3/8-16 Thd.*	62	624-0053		Cord Ass'y. (Incl. Ref. #58)
27	14832		Spring Lever Ass'y. w/Knob	63	732-0681		Spring Latch
28	15262B		Pivot Bar	64	731-1208		Housing—Upper Half
29	15261A		Height Adj. Plate	65	731-1209		Housing—Lower Half (Not Shown)
30	782-5025		Front Baffle	66	720-0226		Foam Grip (Optional)
31	782-0054		19" Deck	68	710-0192		Truss Scr. #10-24 x .38" Lg.
32	14578		Height Adj. Ass'y. Comp.—R.H.	69	720-0275		Knob
	14579		Height Adj. Ass'y. Comp.—L.H. (Not Shown)	70	721-0311		Insulator
33	731-1263		Motor Cover	71	726-0209		Cable Tie
	731-1264		Motor Cover (Sears)	72	731-1388		Insulator Knob
34	710-1128		Scr. #10-16 x .75" Lg.	73	710-1251		Hex Bolt 3/8-24 x 2.5" Lg.
35	710-1150		Self-Tap. Scr. #7 x 1" Lg.	74	764-0325		Rear Catcher Frame
36	712-0241		Hex Nut 3/8-24 Thd.	75	749-0882		Lower Handle
37	710-1006		Hex L-Wash. TT-Tap Scr. 3/8-16 x .75" Lg.	76	749-0881		Upper Handle
				77	747-0825		Cord Control Rod
				78	†		Hub Cap (See Chart)

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

†Optional Hub Caps

Description	Part No.
Gray (3-1/2" Dia.)	720-0249
Gray (5-1/2" Dia.)	731-0981A
Beige (5-1/2" Dia.)	731-0982A
Black (1-7/8" Dia.)	720-0258



WARNING: The motor is an important part of the double insulated system. To avoid the possibility of alteration or damage to the system, it is recommended that service be performed at a factory authorized service location.




WARNING: Insulators are safety components. It is very important that all parts be reassembled in positions shown.

Model 427



WARNING: Insulators are safety components. It is very important that all parts be reassembled in positions shown.



Model 427

PARTS LIST FOR MODEL 427 ELECTRIC MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-0606		Hex Bolt 1/4-20 x 1.5" Lg.*	37	720-0248		Flap—Rear & Front
2	736-0142		Fl-Wash. .281" I.D. x .5" O.D.	38	728-0143		Pop Rivet .188" Dia.
3	712-0442		Acorn Nut 1/4-20 Thd.	40	748-0343		Blade Adapter
4	710-1150		Self-Tap Scr. #7 x 1" Lg.	41	712-0241		Hex Nut 3/8-24 Thd.
6	777-9380		Label—Switch Box	42	710-0191		Hex Bolt 3/8-24 x 1.25" Lg.
7	749-0900		Upper Handle	43	731-1175		Spacer
8	720-0250		Control Flip Knob	44	742-0519		19" Blade
9	726-0303		Cable Tie	45	782-5001		Deck Reinforcement Plate
10	710-0671		Curved Hd. Bolt 5/16-18 x 7/8" Lg.	46	736-0452		Bell-Wash. .4" I.D. x 1.14" O.D.
11	712-0437		Hex L-Nut 5/16-18 Thd.	47	736-0331		Bell-Wash. 3/8" I.D.
12	649-2220		Lower Handle	48	731-1250		Motor Fan
13	738-0859		Shld. Bolt 3/8-16 Thd.	49	720-0239		Knob
14	736-0270		Bell-Wash. 1/4" I.D.	50	682-0009		Height Adj. Ass'y. (RF/LR)
15	710-1108		Self-Tap Scr. 1/4-20 x 1.12" Lg.		682-0010		Height Adj. Ass'y. (LF/RR)
16	731-1266		Spacer	51	750-0796		Plastic Wheel Spacer
17	17032		Adapter Plate	52	734-1797		7" Wheel
18	682-0105		19" Deck Ass'y.	53	736-3068		Fl-Wash. .531" I.D. x .875" O.D.
19	732-0593		Spring	54	714-0507		Cotter Pin 3/32" Dia. x .75" Lg.
20	747-0710		Hinge Pin	55	731-0251		Hub Cap
21	731-1034		Chute Deflector Ass'y. (Incl. Ref. 17, 19, 20)	56	731-1263		Motor Cover
22	710-0654A		Hex Self-Tap Scr. 3/8-16 x .75" Lg.	57	710-1128		Screw #10 x .75" Lg.
23	712-0438		Hex Sems Nut 3/8-16 Thd.	59	710-1167		Self-Tap AB-Tap Scr. #10-16 x .5" Lg.
24	710-0597		Hex Bolt 1/4-20 x 1" Lg.	60	731-1211		Retainer Plug
25	736-3090		Fl-Wash. .26" I.D. x .72" O.D.	61	731-1198		Latch
26	731-1219		Insulator Shield	62	624-0053		Cord Ass'y. (Incl. Ref. #70)
27	782-3013		Handle Brkt.—L.H.	63	732-0681		Spring Latch
28	782-3012		Handle Brkt.—R.H.	64	731-1208		Housing—Upper Half
29	721-0278		Insulator Strap	65	731-1209		Housing—Lower Half (Not Shown)
30	725-1590		Cord Restraint	66	731-1210		Handle—Switch Actuator
31	712-0324		Hex Nylon Lock Nut 1/4-20 Thd.	67	732-0679		Spring—Switch Handle
32	624-0032		Cord & Switch Ass'y. Comp.	68	725-1565		Switch
33	818-60013		Motor & Switch Ass'y. Comp.	69	710-1147		Screw #6-32 x .5" Lg.
34	721-0311		Insulator Motor Hsg.	70	729-0304		Plug Ass'y.
35	726-0209		Cable Tie	71	732-0680		Retainer Plug Spring
				72	710-1251		Hex Bolt 3/8-24 x 2.5" Lg.

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.



WARNING: The motor is an important part of the double insulated system. To avoid the possibility of alteration or damage to the system, it is recommended that service be performed at a factory authorized service location.